

Cuprum font family for L^AT_EX

Federico Roncaglia*

2019/02/01

1 Introduction

The Cuprum font family has been published by the [Free Fonts Project](#) some years ago, with more than other 50 free fonts and families, thanks to active collaboration with a large number of designers.

These fonts can be seen all over the world, and in particular Cuprum is extensively used by [University of Padua](#) in some of its sub-websites. So I decided to make this small package to be used with L^AT_EX (thus without the need of X_YL^AT_EX or LuaL^AT_EX).

The fonts are redistributed under their original license (SIL Open Font License, Version 1.1).

2 Installation

1. Copy the contents of the subdirectories:

- doc in `texmf/doc/latex/cuprum`
- map in `texmf/fonts/map/dvips/cuprum`
- tex in `texmf/tex/latex/cuprum`
- tfm in `texmf/fonts/tfm/cuprum`
- ttf in `texmf/fonts/truetype/public/cuprum`.

2. Add the line

```
Map cuprum.map
```

*phaiderikos at protonmail dot com

at the end of the file `updmap.cfg` in your distribution. Under MikTeX, this should be done by typing the command

```
initexmf --edit-config-file updmap
```

in the console.

3. Refresh the databases by using these commands:

- `mktexlsr` to rebuild the list of files located in your `texmf` tree;
- `updmap-sys` to rebuild the map files.

3 Usage

Make sure to include the `fontenc` package with T1 encoding:

```
\usepackage[T1]{fontenc}
```

Then, you can use the font family either locally, with

```
{\fontfamily{cpr}\selectfont some text}
```

or globally, loading the package `cuprum`:

```
\usepackage{cuprum}
```

That's all!